

Crompton

Home Appliances



**Air
Cooler**

Cooling Nahi, Jaldi Cooling



Crompton

Home Appliances




*Cooling Nahi,
Jaldi Cooling*

Desert Range

Crompton

Home Appliances

OPTIMUS 65IoT



Smart IOT Enabled Operations
For convenience and ease of use



Mobile App

FEATURES



Digital Operations
For convenience and ease of use




Best in Class Air Delivery
Highest air flow in desert cooler segment



EverLast Pump
Works even with hard water



Large & Easy Clean Ice Chamber
For convenience & hygiene



Humidity Control
Adjust cooling to your comfort



Auto Drain Function
For effortless water draining



Auto-Fill
For continuous water feed



OPTIMUS 65 IoT

705(L) x 470(W) x 1170(H)



OPTIMUS 65i

705(L) x 470(W) x 1170(H)



5500 m3/hr
air delivery

650 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance With Bearing Motor

Crompton

Home Appliances

FEATURES



Best in Class Air Delivery

Highest air flow in desert cooler segment



Large & Easy Clean Ice Chamber

For convenience & hygiene




Auto Drain Function

For effortless water draining



EverLast Pump

Works even with hard water



Humidity Control

Adjust cooling to your comfort



Auto-Fill

For continuous water feed



OPTIMUS 125

705(L) x 470(W) x 1380(H)



OPTIMUS 100

705(L) x 470(W) x 1235(H)



OPTIMUS 65

705(L) x 470(W) x 1170(H)

5500 m3/hr
air delivery

650 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

Crompton

Home Appliances

FEATURES



EverLast Pump
Works even with hard water



Auto-Fill
For continuous water feed



Motor with Overload Protection
For safety of motor and pump



4 Way Air Deflection
For adjusting air stream direction as per your need



Large & Easy Clean Ice Chamber
For convenience & hygiene



COOL BREEZE NEO DAC 80

685(L) x 500(W) x 1235(H)



COOL BREEZE NEO DAC 53

685(L) x 500(W) x 1145(H)

5000 m³/hr
air delivery

590 sq.ft
area coverage

Honeycomb Pads



Superior Performance
With Bearing Motor

Crompton

Home Appliances

FEATURES



Motor with Overload Protection
For safety of motor and pump



EverLast Pump
Works even with hard water



4 Way Air Deflection
For adjusting air stream direction as per your need



Auto-Fill
For continuous water feed



AVANCER DAC 95

637(L) x 455(W) x 1255(H)



AVANCER DAC 80

637(L) x 455(W) x 1206(H)



AVANCER DAC 65

637(L) x 455(W) x 1145(H)

5200 m3/hr
air delivery

610 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

Crompton

Home Appliances



OZONE 88

600(L) x 410(W) x 1255(H)



OZONE 75

600(L) x 410(W) x 1180(H)



OZONE 55

600(L) x 410(W) x 1110(H)

4200 m³/hr
air delivery

490 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

FEATURES



Motor with Overload Protection
For safety of motor and pump



Auto-Fill
For continuous water feed



EverLast Pump
Works even with hard water



4 Way Air Deflection
For adjusting air stream direction as per your need

FEATURES



Motor with Overload Protection
For safety of motor and pump



Auto-Fill
For continuous water feed



EverLast Pump
Works even with hard water



4 Way Air Deflection
For adjusting air stream direction as per your need



OZONE CLASSIC H 55

620(L) x 410(W) x 1110(H)

3800 m3/hr air delivery

410 sq.ft area coverage



JEDI DAC 95

605(L) x 480(W) x 1290(H)

4500 m3/hr air delivery

530 sq.ft area coverage



JEDI DAC 70

605(L) x 460(W) x 1225(H)

4500 m3/hr air delivery

530 sq.ft area coverage

Honeycomb Pads



Superior Performance
With Bearing Motor

Crompton

Home Appliances

FEATURES



EverLast Pump
Works even with hard water



Auto-Fill
For continuous water feed



Motor with Overload Protection
For safety of motor and pump



4 Way Air Deflection
For adjusting air stream direction as per your need



Large & Easy Clean Ice Chamber
For convenience & hygiene



GALE DAC 90

620(L) x 400(W) x 1200(H)



GALE DAC 60

685(L) x 500(W) x 1115(H)

4000 m³/hr
air delivery

470 sq.ft
area coverage

Honeycomb Pads


SCALE COMPARISON CHART

Desert Coolers

Crompton

Home Appliances

Parameters	Optimus 65 IoT	Optimus 65i	Optimus 65
Suitable Room Size (sq.ft)	650	650	650
Blower / Fan	Fan	Fan	Fan
Wattage (W)	200	200	200
Tank Capacity (L)	65	65	65
Air Delivery (m3 / hr)	5500	5500	5500
IoT / Digital / Manual Operation	IoT	Digital	Manual
Remote Control	Yes	Yes	NA
Pureshield	Yes	NA	NA
Ice Chamber	Yes	Yes	Yes
Easy Access Distribution Tray	Yes	Yes	Yes
Everlast Pump	Yes	Yes	Yes
Humidity Control	Yes	Yes	Yes
Auto Drain	Yes	Yes	Yes
Auto Fill	Yes	Yes	Yes
Mosquito Nets	Yes	Yes	Yes
Fully Collapsible Louvers	Yes	Yes	Yes
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 705, W - 470, H - 1170 (in mm)	L - 705, W - 470, H - 1170 (in mm)	L - 705, W - 470, H - 1170 (in mm)



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice


SCALE COMPARISON CHART

Desert Coolers

Crompton

Home Appliances

Parameters	Optimus 100	Optimus 125
Suitable Room Size (sq.ft)	650	650
Blower / Fan	Fan	Fan
Wattage (W)	200	200
Tank Capacity (L)	100	125
Air Delivery (m3 / hr)	5500	5500
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Pureshield	NA	NA
Ice Chamber	Yes	Yes
Easy Access Distribution Tray	Yes	Yes
Everlast Pump	Yes	Yes
Humidity Control	Yes	Yes
Auto Drain	Yes	Yes
Auto Fill	Yes	Yes
Mosquito Nets	Yes	Yes
Fully Collapsible Louvers	Yes	Yes
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 705, W - 470, H - 1235 (in mm)	L - 705, W - 470, H - 1380 (in mm)



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Desert Coolers

Crompton

Home Appliances

Parameters	Avancer DAC 65	Avancer DAC 80	Avancer DAC 95
Suitable Room Size (sq.ft)	610	610	610
Blower / Fan	Fan	Fan	Fan
Wattage (W)	190	190	190
Tank Capacity (L)	65	80	95
Air Delivery (m3 / hr)	5200	5200	5200
IoT / Digital / Manual Operation	Manual	Manual	Manual
Remote Control	No	No	No
Pureshield	No	No	No
Ice Chamber	No	No	No
Easy Access Distribution Tray	No	No	No
Everlast Pump	Yes	Yes	Yes
Humidity Control	No	No	No
Auto Drain	No	No	No
Auto Fill	Yes	Yes	Yes
Mosquito Nets	No	No	No
Fully Collapsible Louvers	Yes	Yes	No
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 637, W - 455, H - 1145 (in mm)	L - 637, W - 455, H - 1206 (in mm)	L - 637, W - 455, H - 1255 (in mm)


Height - 114.5 cms



Height - 120.6 cms



Height - 125.5 cms



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Desert Coolers

Crompton

Home Appliances

Parameters	Ozone 55	Ozone 75	Ozone 88
Suitable Room Size (sq.ft)	490	490	490
Blower / Fan	Fan	Fan	Fan
Wattage (W)	190	190	190
Tank Capacity (L)	55	75	88
Air Delivery (m3 / hr)	4200	4200	4200
IoT / Digital / Manual Operation	Manual	Manual	Manual
Remote Control	NA	NA	NA
Pureshield	NA	NA	NA
Ice Chamber	Yes	Yes	Yes
Easy Access Distribution Tray	NA	NA	NA
Everlast Pump	Yes	Yes	Yes
Humidity Control	NA	NA	NA
Auto Drain	NA	NA	NA
Auto Fill	Yes	Yes	Yes
Mosquito Nets	NA	NA	NA
Fully Collapsible Louvers	NA	NA	NA
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 620, W - 410, H - 1110 (in mm)	L - 620, W - 410, H - 1180 (in mm)	L - 620, W - 410, H - 1210 (in mm)


Height - 111 cms



Height - 118 cms



Height - 121 cms



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Desert Coolers

Crompton

Home Appliances

Parameters	Ozone Classic H55	Jedi DAC 70	Jedi DAC 95
Suitable Room Size (sq.ft)	490	530	530
Blower / Fan	Fan	Fan	Fan
Wattage (W)	150	190	190
Tank Capacity (L)	55	70	95
Air Delivery (m3 / hr)	3800	4500	4500
IoT / Digital / Manual Operation	Manual	Manual	Manual
Remote Control	NA	No	No
Pureshield	NA	No	No
Ice Chamber	Yes	Yes	Yes
Easy Access Distribution Tray	NA	No	No
Everlast Pump	Yes	Yes	Yes
Humidity Control	NA	No	No
Auto Drain	NA	No	No
Auto Fill	Yes	Yes	Yes
Mosquito Nets	NA	No	No
Fully Collapsible Louvers	NA	Yes	Yes
Cooling Media	Honeycomb Pads	High Density Honeycomb	High Density Honeycomb
Product Dimensions	L - 620, W - 410, H - 1110 (in mm)	L - 605, W - 480, H - 1290 (in mm)	L - 605, W - 460, H - 1225 (in mm)


Height - 111 cms



Height- 113.5 cms



Height - 120 cms



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Desert Coolers

Crompton


Home Appliances

Parameters	Cool Breeze DAC 53	Cool Breeze DAC 80
Suitable Room Size (sq.ft)	588	588
Blower / Fan	Fan	Fan
Wattage (W)	200	200
Tank Capacity (L)	53	80
Air Delivery (m3 / hr)	5000	5000
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	No	No
Pureshield	No	No
Ice Chamber	Yes	Yes
Easy Access Distribution Tray	No	No
Everlast Pump	Yes	Yes
Humidity Control	No	No
Auto Drain	No	No
Auto Fill	No	No
Mosquito Nets	No	No
Fully Collapsible Louvers	No	No
Cooling Media	Honeycomb Pads	Honeycomb Pads
Product Dimensions	L - 685, W - 500, H - 1145 (in mm)	L - 685, W - 500, H - 1235 (in mm)

Height- 114 cms



Height - 123 cms



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice


SCALE COMPARISON CHART

Desert Coolers

Crompton

Home Appliances

Parameters	Gale DAC 60	Gale DAC 90
Suitable Room Size (sq.ft)	470	470
Blower / Fan	Fan	Fan
Wattage (W)	150	150
Tank Capacity (L)	60	90
Air Delivery (m3 / hr)	4000	4000
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	No	No
Pureshield	No	No
Ice Chamber	Yes	Yes
Easy Access Distribution Tray	No	No
Everlast Pump	Yes	Yes
Humidity Control	No	No
Auto Drain	No	No
Auto Fill	No	No
Mosquito Nets	No	No
Fully Collapsible Louvers	Yes	Yes
Cooling Media	Honeycomb Pads	Honeycomb Pads
Product Dimensions	L - 620, W - 420, H - 1115 (in mm)	L - 620, W - 420, H - 1200 (in mm)



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice

Crompton

Home Appliances

*Cooling Nahi,
Jaldi Cooling*

Personal Range



FEATURES



4 Way Air Deflection
For adjusting air stream direction as per your need



Large & Easy Clean Ice Chamber
For convenience & hygiene



Auto Swing Louvers
With motorised vertical louver movement



EverLast Pump
Works even with hard water



Motor with Overload Protection
For safety of motor and pump



Auto-Fill
For continuous water feed



ZELUS ROYALE 43

520(L) x 350(W) x 995(H)
2250 m3/hr air delivery
260 sq.ft area coverage



ZELUS 43

520(L) x 350(W) x 990(H)
2350 m3/hr air delivery
280 sq.ft area coverage



ZELUS 28

520(L) x 350(W) x 865(H)
2350 m3/hr air delivery
280 sq.ft area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

Crompton

Home Appliances

FEATURES



Motor with Overload Protection
For safety of motor and pump



Auto Swing Louvers
With motorised vertical louver movement



EverLast Pump
Works even with hard water



4 Way Air Deflection
For adjusting air stream direction as per your need



MARVEL NEO 40

490(L) x 380(W) x 915(H)



MARVEL NEO 23

490(L) x 380(W) x 775(H)

1300 m³/hr
air delivery

150 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

Crompton

Home Appliances

FEATURES



Motor with Overload Protection
For safety of motor and pump



Auto Swing Louvers
With motorised vertical louver movement



EverLast Pump
Works even with hard water



4 Way Air Deflection
For adjusting air stream direction as per your need



AURA PAC 38 L

445(L) x 395(W) x 900(H)

2800 m3/hr
air delivery

260 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

Crompton

Home Appliances

FEATURES



Motor with Overload Protection
For safety of motor and pump



Auto Swing Louvers
With motorised vertical louver movement



EverLast Pump
Works even with hard water



4 Way Air Deflection
For adjusting air stream direction as per your need



JEDI PAC 35

400(L) x 290(W) x 852(H)



JEDI PAC 22

400(L) x 290(W) x 765(H)



JEDI PAC 16

400(L) x 290(W) x 655(H)

1200 m³/hr
air delivery

150 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

Crompton

Home Appliances

FEATURES



Motor with Overload Protection
For safety of motor and pump



Auto Swing Louvers
With motorised vertical louver movement



Mosquito Nets
Ensures health & hygiene



4 Way Air Deflection
For adjusting air stream direction as per your need



GINIE NEO

285(L) x 265(W) x 515(H)

650 m³/hr
air delivery

80 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

SCALE COMPARISON CHART

Personal Coolers

Crompton

Home Appliances

Parameters	Zelus PAC 28	Zelus PAC 43	Zelus Royale PAC 43
Suitable Room Size (sq.ft)	277	277	260
Blower / Fan	Fan	Fan	Fan
Wattage (W)	105	105	105
Tank Capacity (L)	28	43	43
Air Delivery (m3 / hr)	2350	2350	2250
IoT / Digital / Manual Operation	Manual	Manual	Manual
Remote Control	No	No	No
Pureshield	No	No	No
Ice Chamber	Yes	Yes	Yes
Easy Access Distribution Tray	No	No	No
Everlast Pump	Yes	Yes	Yes
Humidity Control	No	No	No
Auto Drain	No	No	No
Auto Fill	No	No	Yes
Mosquito Nets	No	No	No
Fully Collapsible Louvers	Yes	Yes	Yes
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 520, W - 350, H - 865 (in mm)	L - 520, W - 350, H - 960 (in mm)	L - 520, W - 350, H - 995 (in mm)


Height - 86.5 cms



Height - 96 cms



Height - 99.5 cms



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Personal Coolers

Crompton


Home Appliances

Parameters	Marvel Neo 23	Marvel Neo 40
Suitable Room Size (sq.ft)	80	150
Blower / Fan	Blower	Blower
Wattage (W)	130	130
Tank Capacity (L)	10	16
Air Delivery (m3 / hr)	650	1200
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Ice Chamber	Yes	Yes
Easy Access Distribution Tray	NA	NA
Everlast Pump	NA	Yes
Auto Fill	NA	NA
Mosquito Nets	Yes	NA
Fully Collapsible Louvers	NA	NA
Cooling Media	High Density Honeycomb Pads	Honeycomb Pads
Product Dimensions	L - 285, W - 265, H - 515 (in mm)	L - 400, W - 290, H - 655 (in mm)

Height - 51.5 cms



Height - 65.5 cms



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Personal Coolers

Crompton


Home Appliances

Parameters	Aura PAC	Genie Neo
Suitable Room Size (sq.ft)	260	80
Blower / Fan	Fan	Blower
Wattage (W)	100	130
Tank Capacity (L)	38	10
Air Delivery (m3 / hr)	2800	650
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	No	NA
Ice Chamber	No	Yes
Easy Access Distribution Tray	No	NA
Everlast Pump	Everlast Pump	NA
Auto Fill	Yes	NA
Mosquito Nets	No	Yes
Fully Collapsible Louvers	Yes	NA
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 445, W - 395, H - 900 (in mm)	L - 285, W - 265, H - 515 (in mm)

Height - 90 cms



Height - 51.5 cms



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Personal Coolers

Parameters	Jedi PAC 16	Jedi PAC 22	Jedi PAC 35
Suitable Room Size (sq.ft)	150	150	150
Blower / Fan	Blower	Blower	Blower
Wattage (W)	130	130	130
Tank Capacity (L)	16	22	35
Air Delivery (m3 / hr)	1200	1200	1200
IoT / Digital / Manual Operation	Manual	Manual	Manual
Remote Control	NA	NA	NA
Pureshield	Yes	Yes	Yes
Ice Chamber	NA	NA	NA
Easy Access Distribution Tray	Yes	Yes	Yes
Everlast Pump	NA	NA	NA
Humidity Control	NA	NA	NA
Auto Drain	NA	NA	NA
Auto Fill	150	150	150
Mosquito Nets	Blower	Blower	Blower
Fully Collapsible Louvers	130	130	130
Cooling Media	Honeycomb Pads	Honeycomb Pads	Honeycomb Pads
Product Dimensions	L - 400, W - 290, H - 655 (in mm)	L - 400, W - 290, H - 725 (in mm)	L - 400, W - 290, H - 852 (in mm)

Crompton

Home Appliances


Height - 65 cms



Height - 72 cms



Height - 85 cms



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice

Crompton

Home Appliances



*Cooling Nahi,
Jaldi Cooling*

Tower Range

Crompton

Home Appliances

FEATURES



Digital Operations
For convenience and ease of use



Large & Easy Clean Ice Chamber
For convenience & hygiene



EverLast Pump
Works even with hard water



4 Way Air Deflection
For adjusting air stream direction as per your need



Auto-Fill
For continuous water feed



OPTIMUS NEO 52

365(L) x 395(W) x
1325(H)



OPTIMUS NEO 35i

425(L) x 380(W) x
1085(H)



OPTIMUS NEO 35

425(L) x 380(W) x
1085(H)



OPTIMUS NEO 27

340(L) x 370(W) x
980(H)

1350 m3/hr
air delivery

160 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

Crompton

Home Appliances

FEATURES



Motor with Overload Protection

For safety of motor and pump



Large & Easy Clean Ice Chamber

For convenience & hygiene



4 Way Air Deflection

For adjusting air stream direction as per your need



EverLast Pump

Works even with hard water



Auto Swing Louvers

With motorised vertical louver movement



Auto-Fill

For continuous water feed



Mosquito Nets

Ensures health & hygiene



SUREBREEZE 34

450(L) x 385(W) x 1080(H)



SUREBREEZE 24

390(L) x 325(W) x 965(H)

1950 m3/hr
air delivery

230 sq.ft
area coverage

High Density
Honeycomb Pads



Superior Performance
With Bearing Motor

SCALE COMPARISON CHART

Tower Coolers

Crompton


Home Appliances

Parameters	Surebreeze 24	Surebreeze 34
Suitable Room Size (sq.ft)	230	230
Blower / Fan	Blower	Blower
Wattage (W)	140	140
Tank Capacity (L)	24	34
Air Delivery (m3 / hr)	1950	1950
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Ice Chamber	Yes	Yes
Easy Access Distribution Tray	NA	NA
Everlast Pump	Yes	Yes
Auto Fill	NA	NA
Mosquito Nets	Yes	Yes
Fully Collapsible Louvers	NA	NA
Cooling Media	High Density Honeycomb Pads	High Density Honeycomb Pads
Product Dimensions	L - 390, W - 325, H - 965 (in mm)	L - 450, W - 385, H - 1080 (in mm)

Height - 96.5 cms



Height - 108 cms



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice

SCALE COMPARISON CHART

Tower Coolers

Crompton

Home Appliances


Optimus Neo 27	Optimus Neo 35	Optimus Neo 35i	Optimus Neo 52
160	160	160	160
Blower	Blower	Blower	Blower
130	130	130	130
27	35	35	52
1350	1350	1350	1350
Manual	Manual	Digital	Manual
NA	NA	Yes	NA
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
160	160	160	160
Blower	Blower	Blower	Blower
130	130	130	130
High Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads	High Density Honeycomb Pads
L - 340, W - 370, H - 980 (in mm)	L - 425, W - 380, H - 1085 (in mm)	L - 425, W - 380, H - 1085 (in mm)	L - 365, W - 395, H - 1325 (in mm)

Height - 98 cms

Height - 108.5 cms

Height - 108.5 cms

Height - 132.5 cms



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice

Crompton

Home Appliances



*Cooling Nahi,
Jaldi Cooling*

Window Range

FEATURES



EverLast Pump
Works even with hard water



Auto-Fill
For continuous water feed



Motor with Overload Protection
For safety of motor and pump



Auto Swing Louvers
With motorised vertical louver movement



4 Way Air Deflection
For adjusting air stream direction as per your need



OPTIMUS WAC 70

685(L) x 670(W) x 845(H)



ZELUS WAC 54

645(L) x 570(W) x 560(H)

Woodwool Cooling Pads



Superior Performance
With Bearing Motor


SCALE COMPARISON CHART

Window Coolers

Parameters	Zelus WAC 54	Optimus WAC 70
Suitable Room Size (sq.ft)	200	650
Blower / Fan	Blower	Fan
Wattage (W)	200	200
Tank Capacity (L)	54	70
Air Delivery (m3 / hr)	1700	5500
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Ice Chamber	NA	Yes
Easy Access Distribution Tray	Optional	Yes
Everlast Pump	NA	Yes
Auto Fill	Yes	NA
Mosquito Nets	NA	NA
Fully Collapsible Louvers	NA	Yes
Cooling Media	Woodwool Pads	Woodwool Pads
Product Dimensions	L - 645, W - 570, H - 560 (in mm)	L - 685, W - 670, H - 845 (in mm)

Crompton

Home Appliances



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice

Crompton

Home Appliances

*Cooling Nahi,
Jaldi Cooling*

Industrial Range



FEATURES



EverLast Pump
Works even with hard water



Auto-Fill
For continuous water feed




Motor with Overload Protection
For safety of motor and pump



4 Way Air Deflection
For adjusting air stream direction as per your need



Heavy Duty Caster Wheels



INDIBREEZE DAC 135

865(L) x 650(W) x 1480(H)



INDIBREEZE DAC 95

7780(L) x 500(W) x 1435(H)

Honeycomb Pads



Superior Performance
With Bearing Motor

SCALE COMPARISON CHART

Industrial Coolers

Crompton

Home Appliances

Parameters	Indibreeze DAC 95	Indibreeze DAC 135
Suitable Room Size (sq.ft)	770	1000
Blower / Fan	Fan	Fan
Wattage (W)	280	315
Tank Capacity (L)	95	135
Air Delivery (m3 / hr)	6500	8500
IoT / Digital / Manual Operation	Manual	Manual
Remote Control	NA	NA
Ice Chamber	NA	NA
Easy Access Distribution Tray	NA	NA
Everlast Pump	Yes	Yes
Auto Fill	Yes	Yes
Mosquito Nets	NA	NA
Fully Collapsible Louvers	Yes	NA
Cooling Media	Honeycomb Pads	Honeycomb Pads
Product Dimensions	L - 780, W - 500, H - 1435(in mm)	L - 865, W - 650, H - 1480(in mm)



Images of the products are for illustrative purposes only and may vary from the actual product. Product is tested under lab conditions, product specifications are subject to change without prior notice